FILE NOTATIONS


Entered in NID File vation Map Pinned Ld Indexed	Checked by Chief Approval Letter Disapproval Letter	(B) 1-71 ×
COMPLETION DATA:		
Date Well Completed	Location Inspected	
OW WW TA GW OS PA	Bond released State or Fee Land	
Driller's Log		
Electric Logs (No.) E I Dual I Lat	GR-N Micro	
BHC Schic GR Lat Mi- C. og CCLog Others.	•T	and the

Form approved. Budget Bureau No. 42-R1425.

(Other instru-

		INT OF THE		RIOR			DESIGNATIO	N ANG SER	IAL. NO.
4 DDI 16 4 TIO	·····	LOGICAL SURV					019379		And the later of the space.
	IN FOR PERMI	IT TO DRILL,	DEEP	EN, OR PLUG	BACK	0. IF 13D	INS, ALLOTT	er or abin	E NAME
1a TYPE OF WORK	RILL 🔯	DEEPEN	П	PLUG BA	ACK 🗆	7. UNIT	AGREEMENT	NAME	
b. Type of well						- Uppe	r Valle	y Unit	· ا
	GAS OTHER	t .		ONE ZONE	LIPLE		OR LEASE N		
2. NAME OF OPERATOR	. 043 0					\ \frac{1}{2}	3 !	3.97	
3. ADDRESS OF OPERATOR	o Oil Company					9. WELL	NO.) . .	
Suite	1200 Lincoln T	lower Bldg	Denve	er, Colorado	\$ 0203	32 10. FIELD	AND POOL,	OR WILDS	AT
4. LOCATION OF WELL (Report location clearly	and in accordance w	ith any	State requirements.*)	00207		r Valle	. /	e.).
226	65' F/EL and 2	2365' F/SL				11. SEC.,	T., R., M., OF	R BLK.	
At proposed prod. zo				NWNWST					
14. DISTANCE IN MILES		NW, SE)	Om Ommic		· · · · · · · · · · · · · · · · · · ·		25, T-3		
III DIGITALES IN PLINES	AND DIRECTION FROM	MAKEST TOWN OR POS	ST OFFIC	.E.		Garf	Y OR PARIS		
15. DISTANCE FROM PROP			16. N	O. OF ACRES IN LEASE	17. NO	OF ACRES AS		1. 00	ah
PROPERTY OR LEASE (Also to negrest dr						THIS WELL	3		•
18. DISTANCE FROM PRO			19. PI	ROPOSED DEPTH	20. RO	TARY OR CABL	E TOOLS		
OR APPLIED FOR, ON TI	HIS LEASE, FT.		71	00 Raiba	H F	Rotary	<u> </u>	ĬĬ.	
21. ELEVATIONS (Show wi	hether DF, RT, GR, etc.	7429 GR			. 51	7 1 3	ROX, DATE W		START*
23.		· · · · · · · · · · · · · · · · · · ·				G b obor	appro	van.	·
		PROPOSED CASI	NG ANI	D CEMENTING PROGI	RAM o				
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER F		SETTING DEPTH			ITY OF CEMI		
15"	9 - 5/8			30001		to fil			
8 - 3/4"	-	20 and	_23	7100	Suff	to fil	1 500'	above	<u>Kaib</u> ab
	1					\$ \$ 24	ස් _{ස් ය}	- 27 5 0 3	*** ***
					, 1			3 7 1	
S	et and cement	to surface	30 ' o	f 24" culvert	pipe f	or		3 5 5	
C	onductor, wel	l to be dril:	led t	o approximate	T.D. o	£ 7108		Constant Con	
1	og,, run 7" c	asing to T.D.	., ca	sing will be p	erfora	ted and	rig.	# 6.65 # 7.15	
. Т	f and is and	ted as necess	sary	to establish c	ommerc	ial prod	uction	• \$ 2 ÷	
				', it will e tions. A 15"			<u> </u>	5 7 L	
ď	rilled to 300	O' and if war	rrent	ed by lost cir	nore w	on hole	· · · · · · · · · · · · · · · · · · ·	監 (1) (2) 第 第 5	
W	ill be reamed	to 18" and s	set	16" casing as	requir	ed. A) 세월	
2	-1/16" parasi	te, string to	be :	run on outside	of su	rface pi	pe	3 7	
t	o aerate retu	rns. B.O.P.	to b	e tested each	24 hou	rs. 🚬	4 7		
							9 달 때 1 1명 등의 1	rai grad Antoni	
		•				5 3 10 11 11 11 11 11 11 11 11 11 11 11 11		유명 () 22 명한 교육	
N ABOVE SPACE DESCRIB	E PROPOSED PROGRAM	If proposal is to deep	pen or p	lug back, give data on	present pr	oductive zone	and propos	ed new pro	oductive
one. If proposal is to reventer program, if an	drill or deepen directi	nally, give pertinen	t data o	n subsurface locations	and measu	red and true v	ertical dept	hs. Give	blowout
4.	" 2 2 -1/			••			<u>. 12</u>		
	1. Jak		Sr	. Production	Clerk		11_20	2.71	
SIGNED	7 9000	TIT	TLE DI	· 110ddc ofon	OTCLK	CDAT	<u>κ 11-2</u>	/ <u>-/</u> 1	
(This space for Fede	eral or State office use)				4 -				
PERMIT NO. 13-0	017-3004	5		APPROVAL DATE	12.1	2188	<u> </u>		·
	len a la	les			,		- 75		
APPROVED BY CONDITIONS OF APPROV	WI WAY	T17	TLE	DIRECTOR		DAT	E / 4 7	-//	
CONDITIONS OF APPROV	CALL, IF ANI:	/			;	peak first but year a	. F	គ្រួបស ក្រុង	
						23. 25.	: 🖟 🔞	LE S	

CONSTANT TENNECO DIL COMPANY	
Well Lime with UPPER VALLEY No. 32	Louis Louis No.
iccurrent 2365 FEET FROM THE SOUTH LINE	& 2265 FEET FROM THE EAST LINE
being in NW NW SE	
Se . 25 ~ 365, 2 1 E, S.L.M., Gaffield	County, Mtah
Groun's Elevation 74291 ungraded	



Scale -- 4 moher e pral | 1 maie

Surveyed 22 November

v. 71

This is to certify that the above plat was prepared from held notes of a full surveys made in the or under my properties and to take same are true and correct to the following knowledge and center.

Seal:

Pendepet na testo tia

Robert H. Ernst Colo. PE & LS 4979 N. Mex PE & LS 2463

Ernst Engineering Co. Durango, Colorado

Oll SHELL STATES OIL STATES OF OPERATOR Tenneco Oil Address of Operator Suite 1200	other Company		PORTS Copen or plug by	ON WELLS ack to a different reserve	oir.	6. IF INDIAN, ALLOT	IBB OR TRIBE NAM
OIL X GAS WELL 2. NAME OF OPERATOR Tenneco Oil 3. ADDRESS OF OPERATO Suite 1200 4. LOCATION OF WELL (1)	OTHER Company						-
Tenneco Oil 3. Address of Operato Suite 1200 4. Location of Well (3)	R					7. UNIT AGREEMENT Upper Vall 8. FARM OR LEASE N	ey Unit
Suite 1200 4. LOCATION OF WELL (y				9. WELL NO.	AME
See also space 11 ber	Report locatio	on clearly and in accords	nce with any			32 10. FIELD AND POOL,	OR WILDCAT
Åt surface	22	265' F/EL and 2	2365' F/S	SL		Upper Valle 11. SEC., T., R., M., O SURVEY OR AR	R BLK. AND EA
14. PERMIT NO.		15. ELEVATIONS (SI	now whether DF,	, RT, GR, etc.)		Sec. 25, T-3	6-S, R-I-E
			7429 GR			Garfield	Utah
16.	Check	• •	Indicate N	lature of Notice, Rep 		ther Data	
TEST WATER SHUT-CO FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) 17. DESCRIBE PROPOSED OF		PULL OR ALTER CASIN MULTIPLE COMPLETE ABANDON* CHANGE PLANS		I Completion	ort results or Recomple	REPAIRING ALTERING ABANDON of multiple completion tion Report and Log	CASING MENT*
nent to this work.) W h	Well spud nole to woipe and with 15" of 9-5/8" circulate returns,	dded 12-12-71 v 40'. Aan 40' o cemented with hole to T.D. o ' 36# casing la ed. Ran 2-1/16 tubing landed	vith 15" of 22" cu 150 sack of 3054! anded at 6" tubing at 2994!	hole to 70', relivert pipe to so, circulated. on 12-17-71. R 3054', cemente on outside of . Tested B.O. with 8-3/4" h	eamed t 40' for Drill an 97 J d with 9-5/8" P. and	o 26" conductor ed out ts. 1200 sacks, to aerate casing to	
18. I hereby certify the	the foregoing	ng is true and correct	TITLE Sr.	Production Cl	erk	12	-20-71

APPROVED BY _______ CONDITIONS OF APPROVAL, IF ANY:

Form 9-331 UNITED STATES SUBMIT IN TRIPLICATES (Other instructions on re- DEPARTMENT OF THE INTERIOR (Verse side)	Form approved. Budget Bureau No. 42-R1424. 5. LEASE DESIGNATION AND SERIAL NO.
GEOLOGICAL SURVEY	U - 019379
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
OIL GAS WELL OTHER	7. UNIT AGREEMENT NAME Upper Valley Unit
2. NAME OF OPERATOR	8. FARM OR LEASE NAME
Tenneco Oil Company 3. ADDRESS OF OPERATOR	9. WELL NO.
Suite 1200 Lincoln Tower BldgDenver Colorado 80203 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 2265! F/EL and 2365! F/SL	32 10. FIELD AND POOL, OR WILDCAT Upper Valley 11. SEC., T., E., M., OR BLK, AND
	SURVEY OR AREA
14. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.)	Sec. 25, T-36-S, R-I-E 12. COUNTY OR PARISH 13, STATE
7429 GR	Garfield Utah
16. Check Appropriate Box To Indicate Nature of Notice, Report, or Ot	
· ·	INT REPORT OF:
TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) PULL OR ALTER CASING MULTIPLE COMPLETE ABANDON* CHANGE PLANS (Other) WATER SHUT-OFF X FRACTURE TREATMENT SHOOTING OR ACIDIZING (Other) (Note: Report results or Recomplete or Presented Or Prese	ALTERING CASING ABANDONMENT* If multiple completion on Well tion Report and Log form.)
Well drilled to T.D. of 7108' w/8-3/4" hole on 1-1-72 ran 223 Jts. of 7" 20#, 23# and 26# landed at 7108', with 200 sacks. Released rig 1-3-72 and now wating on unit.	cemented
	e de la companya de l
18. I hereby certify that the foregoing is true and correct SIGNED	DATE 1-5-72
(This space for Federal or State office use)	

Form 9-331 (May 1963)	U"TED STATES	SUBMIT IN TRI CAT	Form approved. Budget Bureau No. 42 -R149
DE	PARTM T OF THE INTERIOR	OR verse side)	re Budget Bureau No. 42-R142.
	U-019379		
SUNDRY (Do not use this form Use	NOTICES AND REPORTS C	ON WELLS nck to a different reservoir. oposals.)	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
1.			7. UNIT AGREEMENT NAME
OIL X GAS WELL	OTHER		Upper Valley Unit
2. NAME OF OPERATOR			8. FARM OR LEASE NAME
Tenneco Oil Compa	anv		
3. ADDRESS OF OPERATOR			9. WELL NO.
Suite 1200 Linco	In Tower Bldg Denver, Col	orado 80203	32
4. LOCATION OF WELL (Report	In Tower Bldg., Denver, Collocation clearly and in accordance with any	State requirements.*	10. FIELD AND POOL, OR WILDCAT
See also space 17 below.) At surface	2265' FEL and 2365' FSL (NW/4 of SE/4)		Upper Valley 11. SEC., T., B., M., OR BLK. AND SURVEY OR AREA
14. PERMIT NO.	15. ELEVATIONS (Show whether DF,	RT, GR, etc.)	Sec. 25, T36S, RIE 12. COUNTY OR PARISH 13. STATE Garfield Utah
43-017-30043	7429 GR		Garrierd Ocarr
16.	heck Appropriate Box To Indicate N	ature of Notice, Report, o	r Other Data
NOTICE	OF INTENTION TO:	SUB	SEQUENT REPORT OF:
TEST WATER SHUT-OFF	PULL OR ALTER CASING	WATER SHUT-OFF	X REPAIRING WELL
FRACTURE TREAT	MULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING CASING
SHOOT OR ACIDIZE	ABANDON*	SHOOTING OR ACIDIZING	X ABANDONMENT*
REPAIR WELL	CHANGE PLANS	(Other)	
(Other)		(Note: Report res	ults of multiple completion on Well empletion Report and Log form.)
	PLETED OPERATIONS (Clearly state all pertinent is directionally drilled, give subsurface locations)	details and give portinent de	
held OK. Cleaned w/1 JSPF 6944-54 6990-7020' w/2000 landed at 6850'.	d out to 7075' PBTD. Perfo	orated 6990'-7020' 6895-6906'. Acidi Ran 216 jts. of 2	zed 6895'-6954' w/28% LSTNE -7/8" tubing w/Reda pump

()		
18. I hereby certify that the taregoing is true and correct SIGNED	TITLE Sr. Production Clerk	DATE1/18/72
(This space for Federal or State office use)		
APPROVED BYCONDITIONS OF APPROVAL, IF ANY:	TITLE	DATE

GEOLOGICAL SURVEY WELL COMPLETION OR RECOMPLETION REPORT AND LOG* 18. TYPE OF WELL: OIL TO GAS THE TYPE OF WELL: THE TYPE OF WELL: OIL TO GAS THE TY	SERIAL NO.
WELL COMPLETION OR RECOMPLETION REPORT AND LOG*	1
1. TYPE OF WELL: OIL CO GAS CO CO	TRIBE NAME
18. TYPE OF WELL: OIL X GAS WELL DRY Other 7. UNIT AGREEMENT NAME	
b. TYPE OF COMPLETION: NEW WORK DEEP- PLUG DIFF.	nit
WELL W OVER EN DACK RESVE. Other	
2. NAME OF OPERATOR 9. WELL NO.	
TENNECO OIL COMPANY 3. ADDRESS OF OPERATOR 32	•
Suite 1200 Lincoln Tower Bldg., Denver, Colorado 80203 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* Upper Valley	DCAT
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* Upper Valley 11. SEC., T., R., M., OR BLOCK	AND SURVEY
OR AREA	
At top prod. interval reported below	22.73
At total depth Sec. 25, T36S, I	
43-017-30043 12/1/71 Garfield Uta	_
15. DATE SPUDDED 16. DATE T.D. REACHED 17. DATE COMPL. (Ready to prod.) 18. ELEVATIONS (DF, REB, RT, GR, ETC.)* 19. ELEV. CAS	
12/12/71 1/1/72 1/15/72 7429 GR	
20. TOTAL DEPTH, MD & TVD 21. PLUG, BACK T.D., MD & TVD 22. IF MULTIPLE COMPL., HOW MANY DRILLED BY	E TOOLS
7108 7075	RECTIONAL
SURVEY	
6895-7020, Kaibab Yes	
26. TYPE ELECTRIC AND OTHER LOGS RUN 27. WAS WELL	CORED
SWN, DIFL, BHC AL-GR, CDLC-GR No	
CASING RECORD (Report all strings set in well) CASING SIZE WEIGHT, LB./FT. DEPTH SET (MD) HOLE SIZE CEMENTING RECORD • AMOUN	T PULLED
Constitution of the consti	T FULLED
9-5/8" 36 3054 15" 1200 sks. Cir. 7 20,23 & 26 7108 8-3/4" 200 sks.	
20,2,1 0, 20 1100 0 11 20 200	
29. LINER RECORD 30. TUBING RECORD SIZE TOP (MD) BOTTOM (MD) SACKS CEMENT* SCREEN (MD) SIZE DEPTH SET (MD) PACKER	SET (MD)
SIZE TOP (MD) BOTTOM (MD) SACKS CEMENT* SCREEN (MD) SIZE DEPTH SET (MD) PACKER	
31. PERFORATION RECORD (Interval, size and number) 82. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, E	rc.
601/1-20	
6928-36) 1 0011 (009)-0974 (1000 gai 20/8 hbins)	700# <u>U</u> nib
6944-54) 6990-7020 2000 gal 28% LSTNE,	
69 0-7020) 2 - JSPF	
33.* PRODUCTION	
DATE FIRST PRODUCTION PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) WELL STATUS (Production) Pumping - Reda Producing	sing or
DATE OF TEST HOURS TESTED CHOKE SIZE PROD'N. FOR OIL—BBL. GAS—MCF. WATER—BBL. GAS-OIL	RATIO
1/18/72 24 - TEST PERIOD 530 TSTM 808 TST	rm
FLOW. TUBING PRESS. CASING PRESSURE CALCULATED OIL—BBL. GAS—MCF. WATER—BBL. OIL GRAVITY-AF	I (CORR.)
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)	
35. LIST OF ATTACHMENTS	
None \(\rightarrow \)	
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records	
SIGNED P.U. Jak TITLE Sr. Production Clerk DATE 1/18/	72

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions. If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments

it there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. should be listed on this form, see item 35.

or Federal office for specific instructions.

Consult local State tems 22 and 24: If this well is completed for separate production from more than one interval 20ne (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, tem 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. or each additional interval to be separately produced, showing the additional data pertinent to such interval.

tem 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

DEPTH INTERVAL FORMATION	TESTED, COSMION	BOTTOM	DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, PLOWING AND SHUT-IN PRESSURES, AND RECOVERIES RMATION TOP BOITOM DESCRIPTION, CONTENTS, ETC.		TOP	
				NAMB	MEAS. DEPTH	TRUE VERT. DEPTH
Navajo	3270	5410	Sandstone, water productive by log	(L 0210M	3070	
Kaibab	6826	7061	Dolomite, oil productive by test	Chinle	5410	- · · •
				Moenkopi Kaibab	6070	·
	•	are Less				
e e e e e e e e e e e e e e e e e e e						
•		1				

FORM OFC-8-X

FILE IN QUADRUPLICATE

form).

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL & GAS CONSERVATION
1588 West North Temple
Salt Lake City, Utah 84116

REPORT OF WATER ENCOUNTERED DURING DRILLING

Well Name		o Oil Compa				Suit				er Bldg Phone	; . 292 - 9920
Operator	Terme	OTT COmpe	err A		_Mddre			oomfie		_i none	
Contractor	Loffla	und Brothers	Co.		_Addr					Phone	<u>325-5001</u>
Location_	NW SE	_ ½ Sec2	25 T.	36	_XX R.	1	E	Garf	ield	Cou	nty,Utah
Water Sand	is:		-						·		
	<u>Depth</u>		:		Volum	ne			2	uality	•
From	•	То		Flow	Rate o	or Head	•		Fre	sh or	Salty •
1Well	drilled	w/mud and r	o water	flow	encou	ntered.		· · · · · · · · · · · · · · · · · · ·	· · .	<u> </u>	
2.	· · · · · · · · · · · · · · · · · · ·				· · · · · · · · · · · · · · · · · · ·						
3		<u>.</u>		•			•.				
L								٠	ŧ		
**										•	
J•	<u></u>	·				(Conti	nue (on reve	erse si	de if	necessary
•	•	•	. •						•		٠.
Formation	Tops:	Navajo Chinle	3270 5410			•					
	•	Shinarump Moenkopi	6070	•	•				•		
•		Kaibab	6826		. •				• .		
Remarks:				•	•			•,			
NOTE:	(a) Up	on diminish port on thi	ing sup	ply fo	orms,	please	infor	m this	office	2. 1 Dulo	

(c) If a water analysis has been made of the above reported zone,

please forward a copy along with this form.



DIVISION CE GAL GAS, & MINING REPORT OF WATER ANALÝSIS

Company TENNECO OIL COMPANY

ESCALANTE, UTAH

Sample Macked

DISSOLVED SOLIDS

DIST. 15 Upper Valley Unit TENNECO #32

Date

Analysis No.

17-Feb-76 76V242,T

Sampling Date

2-3-76

Date Sample Rec'd. 2-11-76

NW,	SE	Sec	25,	T 365,	RIE
-----	----	-----	-----	--------	-----

Cations	4.0		RESULT	S AS COMPOUNDS
	mg/I	meq/I		mg/ <i>l</i>
Sodium, Na(calc.)	2440.	106.	as NaCl	<i>3</i> ,
Calcium,Ca	840.	42.0	as CaCO3	2100.
Magnesium,Mg	267.	22.0	as CaCO3	1100.
Barium,Ba			as BaSO ₄	11100
Sum of Cations	3540.	170.		
Anions				
Chloride,Cl	3400.	Or. O		
Sulfate, SO4	2060.	95.8	as NaCl	5600.
Carbonate, CO3	2000•	43.0	as Na ₂ SO ₄	3050.
Bicarbonate, HCO3	. 1900.	21 2	as CaCO ₃	
41000	, 1900.	31.2	as CaCO3	1560.
Sum of Anions	7360.	170.		
Die Calida / 1			•	
Dis. Solids (calc.)	10900.			
Total Iron, Fe	1.0	. 1	as Fe	1.0
Acid to Phen., CO2	101.	2.3	as CaCO ₃	230.
			•	
OTHER PROPERTIES			C-CO creani	F EME P TE YOU WAS A
Ph (units)	7.5		CaCO ₃ STABI) @ 70° F.	LITY INDEX
Space Gravity (g/ml)	1.004		@ 70 F. @ 120° F.	
Turbidity (jtu)	14.0		@ 160° F.	•
		•	Method of Stif	f & Davis
3 D. G. HASS	Remarks:			
H. E. KING	Normarks:	•		

trademarks of Nalco Chemical Company.

. The Committee of the

VISCO CHEMICALS

P. O. BOX 87 • SUGAR LAND, TEXAS 77478

Form OGC-1b

STATE OF UTAH STATE OF UTAH OF NATURAL RESOURCES OF NATURAL RESOURCES

	ENT OF NATURAL RESOU N OF OIL, GAS, AND MIN		5. LEASE DESIGNATION	AND SERIAL HO.
			varies	
SUNDRY NOTICE (Do not use this form for propose Use "APPLICAT	CES AND REPORTS C	ON WELLS	6. IF INDIAN, ALLOTTER 02	0910
OIL X UAB	MS	511.	INDOX Valloy	-
2. NAME OF OPERATOR		FEB 0 1 1988	Upper Valley	
Tenneco 0il Company	N0950	Du #1011 00		
P.O. Box 3249 Engl	ewood, CO 80155	DIVISION OF OIL, GAS & MINING	9. WELL NO.	
4. LOCATION OF WELL (Report location cle See also space 17 below.)			10. PIBLD AND POOL, OR	
At surface			Upper Valley	
			11. abc., T., R., M., OR B. SURVET OR AREA	
			Townships 36S,	
14. PERMIT NO.	15. BLEVATIONS (Show whether or.	27, GR. etc.)	Garfield	Utah
16. Check App	propriate Box To Indicate N	ature of Notice, Report, or	Other Data	
новіся от інтент	ION TO:	au349	QUENT REPORT OF:	
	ILL OR ALTER CASING	WATER SHUT-OFF	REPAIRING W	
	CLTIPLE COMPLETE	PRACTURE TREATMENT	ALTERING CA	
	IANGE PLANS	(Other) Sale UI	Unit	
(Other)			ts of multiple completion of the policy of t	
Tenneco Oil Company has various sections of Towns Citation Oil and Gas Corp	sold its interest to ship 36S, 37S and Ra	the Upper Valley Un	it located in	
effective 9/1/87. Attac	hed is a list of uni	t wells which were s	old.	nus 770007
N0265				
	•			
		+		
				•
	·		`	
18. I hereby certify that the foregoing is	true and correct			7.400
BIGHED Steve tool	en TITLE Sr	. Administrative Ana	IYST DATE 1/2.	7/88
(This space for Federal or State office	e use)			
APPROVED BY	TITLE		DATE	
CUMPAL. 'S OF APPROVAL, IF A	NI:			

Nog50 to Nog65

Eff 9-1-87

UPPER VALLEY UNIT

								DIVISION OF
Upper	Valley	#1	SE/4NE/4 Water Inje		_	T-36-S,	R-1-E	1L, GAS & MINING 43-017-11221
	Valley	#2	NW/4NW/4	Sec.	13,	T-36-S,	R-1-E	43-017-16035
Upper	VBAB Valley	#3	SE/SW	Sec.	13,	T-36-S,	R-1-E.	43-017-16026
•	KBAB Valley	#4	SE/SE	Sec.	24,	T-36-S,	R-1-E.	43-017-16027
www Upper			SE/SW	Sec.	12,	T-36-S,	R-1-E,	43-017-16028
	/KBAB Valley		SE/NW	Sec.	13,	T-36-S,	R-1-E_	43-017-20233
101 Upper	Valley	17	SE/NE	Sec."	24,	T-36-S,	R-1-E	43-017-20258
Upper	/KBAB Valley /KBAB	#8	NW/SW	Sec.	13,	T-36-S,	R-1-E	43-017-20275 V
Upper	Valley		NW/SE	Sec.	24,	T-36-S,	R-1-E.	43-017-20324
Upper	Valley	#10	SE/NE	Sec.	25,	T-36-S,	R-1-E,	43-017-30001
Upper	Valley KBAB		SE/SE	Sec.	25,	T-36-S,	R-1-E_	43-017-30002V
Upper	Valley /KBAB	#12	NW/SW	Sec.	6,	T-37-S,	R-2-E.	43-017-30015
Upper	Valley 1 KBAB		NE/NW	Sec.	24,	T-36-S,	R-1-E.	43-017-30003
Upper	Valley /KBAB	#14	SE/SE	Sec.	11,	T-36-S,	R-1-E	43-017-30004 V
	Valley		SE/SW	Sec.	24,	T-36-S,	R-1-E.	43-017-30005
www Upper	Valley	#16	SW/NE	Sec.	11,	T-36-S,	R-1-E	43-017-30007
	Valley 1KBAB	#17	SE/NE		-	T-36-S,		
Upper	Valley / KBAB		SE/NE	Sec.	36,	T-36-S,	R-1-E.	43-017-30071
	Valley		NW/SW	Sec.	31,	T-36-S,	R-2-E	43-017-30012
Upper	Valley KBAB	#19	NW/NW	Sec.	6,	T-37-S,	R-2-E,	43-017-30013
Upper	Valley KBAB		NW/NE	Sec.	25,	T-36-S,	R-1-E.	43-017-30014
	Valley		NW/NW	Sec.	7,	T-37-S,	R-2-E.	43-017-3000/
	Valley	#22	SE/NW					43-017-30025
恋いい Upper	Valley	#23	SE/NW	Sec.	30,	T-36-S,	R-2-E,	43-017-30030 V
UN WUpper	Valley	#24	NE/NE	Sec.	23,	T-36-S,	R-1-E.	43-017-30041 V
: WIW Upper	Valley	#25	SW/SE	Sec.	36,	T-36-S,	R-1-E_	43-017-30033 V





UPPER VALLEY UNIT (Continued)

DIVISION OF OIL, GAS & MINING

WIWUpper Valley #26	SW/SW	Sec.	24,	T-36-S,	R-1-E-43-017-30036V
Pow/KBAB Upper Valley #27	NW/SE	Sec.	7,	T-37-S,	R-2-E 43-017-30039V
Pow KBAB Upper Valley #28	NW/NE	Sec.	24,	T-36-S,	R-1-E_ 43-017-30032
fow/kbab Upper Valley #29	SW/SW	Sec.	13,	T-36-S,	R-1-E 43-017-30034
Pow /KBAB Upper Yalley #30	SE/NW				R-1-E 43-017-30037
Yow/KEAB Upper Valley #31	SE/NE				R-1-E 43-017-30042
Pow KBAB Upper Valley #32	NW/SE	Sec.	25,	T-36-S,	R-1-E 43-017-30043
to Upper Valley #33	NW/NE				R-1-E 43-017-30047V
(51ω) Upper Valley #34	SW/NE				R-1-E 43-017-30065V
ນເພ Upper Valley #36	NW/NE	Sec.	14,	T-36-S,	R-1-E 43-017-30048V

STATE OF UTAH DIVISION OF OIL, GAS AND MINING

			5. Lease Designation and Serial Number:			
	U 019379					
SUNDR	6. If Indian, Allottee or Tribe Name:					
Do not use this form for pro	7. Unit Agreement Name:					
Use API	n for such proposals.	Upper Valley Unit				
1. Type of Well:		8. Weli Name and Number:				
OIL GAS	OTHER: Water Injection Well		Upper Valley Unit # 32			
2. Name of Operator			9. API Well Number:			
Citation Oil & Gas Corp.			43-017-30043			
Address and Telephone Number:			10. Field and Pool, or Wildcat:			
P O Box 690688, Houston,	Texas 77269 (281) 517-7800		Upper Valley Kaibab			
4. Location of Well 226 330 Footages: 1950 FEL & 16	& S 0' F y il		County: Garfield			
QQ, Sec., T., R., M.: NW SE	SEC. 25-36S-1E		State: Utah			
11. CHECK APPRO	OPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPO	RT, OR OTHER DATA			
NOTICE	OF INTENT	SUBSEQU	JENT REPORT			
	n Duplicate)	(Submit Ori	iginal Form Only)			
Abandonment	New Construction	Abandonment*	New Construction			
☐ Casing Repair	Pull or Alter Casing	Casing Repair	Pull or Alter Casing			
<u> </u>	_	1 = 1	Shoot or Acidize			
Change of Plans	Recompletion	Change of Plans	=			
Conversion to Injection	Shoot or Acidize	Conversion to Injection	∐ Vent or Flare			
☐ Fracture Treat		Fracture Treat	Water Shut-Off Wate			
Multiple Completion	Other					
Other						
		Date of work completion				
Approximate date work will start2	004					
		Report results of Multiple Completions and F COMPLETION OR RECOMPLETION AND LO	Recompletions to different reservoirs on WELL OG form			
		* Must be accompanied by a cement verification				
vertical depths for all markers and zones Citation Oil & Gas Corp.	ED OPERATIONS (Clearly state all pertinent details, a pertinent to this work.) proposes to repair a suspected case and replace the ESP equipment in the state of the transfer of	sing leak 3260-3291 and squeeze	with 200 sxs of a thixotropic			
			RECEIVED			
	· · · · · · · · · · · · · · · · · · ·		APR 0 7 2004			
COPY SENT IO OPERAT Date: <u>U-/Y-0Y</u> Initials: <u>CHO</u>	OR 	DIN	/. OF OIL, GAS & MINING			
्रकार क्षेत्रकार स्वयंत्र स्व	Commence of the Commence of th					
13. Name & Signature:	Sharo	n Ward Title: Regulatory Ac	dministrator Date: 4/5/04			
Acce	pted by the					
	Division of					
	s and Mining (See Instr	uctions on Reverse Side)				
ΩI		deral Approval Of This action is Necessary				
Date:						

Date: 9/28/02

Citation Oil & Gas Corporation LBB Unit #225

Ground Elevation = 5812'

6", 2000#, Wellhead

RKB = 5828'

KB = 16

Hole Size

= 12 1/4"

Wellbore Diagram

Present Status

Surface Location

1570' FNL & 1015' FEL, SE NE, Section 1, T-47-N, R-100-W Park County, WY

TOC @ surface by (Calculation)

9 5/8" 32.3# H-40 Csg @ 305' cmt'd W/250 sx

DV tool @ 2922' cmt'd W/675 sx

	TUBING DETAIL 9/28/02									
Qty	Description	Length	Depth							
_	KB	16.00	16,00							
148	2 7/8" 8rd J55 6.5#	4,589.41	4,605.41							
1	2 7/8" sub	4.10	4,609.51							
1	2 7/8" x2 3/8" XO	0.76	4,610.27							
1	RC-12 pump 169 stgs	16.58	4,626.85							
1	GSB3 Seal	6.35	4,633.20							
1	133 hp KMH mtr 2205V/37A	12.58	4,645.78							

Hole Size

= 8 3/4"

Hole Size = 6 1/8"

TOC @ 3820'
(Calculation)

TOL @ 4683'

7" 20# & 23# K-55 Csg @ 4792' cmt'd W/160 sx

Embar Perfs: 4650'-4704' (9/02)

Acidized w/ 4800 gal 28% HCL w/ rock salt diverter

- TOC at 4811'

CICR @ 4819'

Tensleep Perfs: 4860 - 4932 & 4944 - 5002 (2 JSPF) (5/80 - 9/80)

5" 13# K-55 ST&C Liner F/4683'- 5115' cmt'd W/100 sx. (5/80)

PBTD = 5064' TD = 5117'

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OUR CAS AND MINING

	DEFARMENT OF NATORIAL RESOURCES								
			5. LEASE DESIGNATION AND SERIAL NUMBER: UTU019379						
	SUNDRY		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:						
Do	not use this form for proposals to drill n drill horizontal la	ls, or to	7. UNIT or CA AGREEMENT NAME: Upper Valley Unit 8910081780						
	YPE OF WELL OIL WELL		GAS WELL OTHER_					NAME and NUMBER: Br Valley Unit 32	
2. N	AME OF OPERATOR:							IUMBER:	
Cit	tation Oil & Gas Corp.						4301	1730043	
	DDRESS OF OPERATOR: O. Box 690688	, Ho	ouston STATE TX ZIP	772	PHONE NUMBER: (281) 517-71	94		LD AND POOL, OR WILDCAT: er Valley Kaibab	
	OCATION OF WELL	<u> </u>	the transfer representation and the second s		-to-et-leading and a subsequence of the control of	90		 (4) 22 A 3 C A 2 機能・ (4) を (2) A 2 D 3 D 3 D 3 D 3 D 3 D 3 D 3 D 3 D 3 D	attentions.
F	DOTAGES AT SURFACE: 2365'	FSL	& 2265 FEL	1 121		1000 1000 1000 1000 1000 1000 1000 100	COUNT	r: Garfield	
Q	TR/QTR, SECTION, TOWNSHIP, RAN	GE, M	IERIDIAN: NWSE 25 36S 1	Ė			STATE:	UTAH	
11.	CHECK APPR	₹OF	PRIATE BOXES TO INDICAT	ΈN	ATURE OF NOTICE, I	REPOF	RT, OF	ROTHER DATA	
	TYPE OF SUBMISSION				TYPE OF ACTION				
	NOTICE OF INTENT		ACIDIZE		DEEPEN			REPERFORATE CURRENT FORMATION	NC
ш	(Submit in Duplicate)		ALTER CASING		FRACTURE TREAT			SIDETRACK TO REPAIR WELL	
	Approximate date work will start:		CASING REPAIR		NEW CONSTRUCTION		\Box	TEMPORARILY ABANDON	
			CHANGE TO PREVIOUS PLANS	\Box	OPERATOR CHANGE		一	TUBING REPAIR	
	<u></u>		CHANGE TUBING	$\overline{\Box}$	PLUG AND ABANDON			VENT OR FLARE	
V	SUBSEQUENT REPORT	后	CHANGE WELL NAME	H	PLUG BACK		\exists	WATER DISPOSAL	
	(Submit Original Form Only)		CHANGE WELL STATUS	님	PRODUCTION (START/RESUME)			WATER SHUT-OFF	
	Date of work completion:				•				
	3/4/2004	片	COMMINGLE PRODUCING FORMATIONS	님	RECLAMATION OF WELL SITE		\	отнея: Replace ESP	
		ا ا	CONVERT WELL TYPE	<u> </u>	RECOMPLETE - DIFFERENT FOR		-		
			ETED OPERATIONS. Clearly show all p						
MI	RU - POOH with tubing	and	d ESP equipment and tested s	sam	e per sundry approved	4/13/2	004.	Drilling mud and formation	nc
ma	aterial found inside pum	ps i	ndicating a casing leak in the	well	. The leak was located	d 3260'	- 329	1' and squeezed with 20	0 sx
			500 psi. Cleaned out and tage! was returned to production						
			by that the AFE was submitted						
			ng this subsequent report.	ant	si tile discovery and re	pail Oi	uie ce	ising leak. This is in	
	,		.3						
	,								
	Ph. 1		,		B 1 4	' D	_ (0 1 1	
NAM	Debra Har	ris			TITLE Production	/Regul	atory	Coordinator	
SIGN	NATURE XIIIK	2	Narris		DATE 3/31/2005				
		,						-050/50	
Thie e	nace for State use only)						D	ECFIVED	

APR 0 4 2005

STATE OF UTAH MENT OF NATURAL RESOURCES

DEPARTMENT OF NATURAL RESOURCES				
DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: U 019379			
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT OF CA AGREEMENT NAME: Upper Valley Unit			
1. TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER: Upper Valley Unit 32			
2. NAME OF OPERATOR:	9. API NUMBER: 4301730043			
Citation Oil & Gas Corp. 3. ADDRESS OF OPERATOR: PHONE NUMBER:	10. FIELD AND POOL, OR WLDCAT:			
P O Box 690688	Upper Valley Kaibab			
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2365 FSL & 2265 FEL	county: Garfield			
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SWSE 25 36S 1E	STATE: UTAH			
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA			
TYPE OF SUBMISSION TYPE OF ACTION				
ACIDIZE DEEPEN	REPERFORATE CURRENT FORMATION			
NOTICE OF INTENT (Submit in Duplicate) ALTER CASING FRACTURE TREAT	SIDETRACK TO REPAIR WELL			
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON			
CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR			
CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE			
SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK	WATER DISPOSAL			
(Submit Original Form Only)	☐ WATER SHUT-OFF			
Date of work completion:	OTHER: Replace ESP			
11/14/2006				
CONVERT WELL TITE				
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, violum				
Citation Oil & Gas Corp. will be replacing the ESP and returning this well to production due	to a downhole failure.			
	OF SENTIOPERATOR			
	4.20 (D			
	inilia's:			
NAME (PLEASE PRINT) Sharon Ward TITLE Permitting Mana	ager			
Share (1 had)				
SIGNATURE DATE 47/1/2007				
(This space for State use only)	RECEIVED			
Accepted by the Federal Approval Of This	APR 1 6 2007			
	DIV OF OU			
(5/2000) Oil, Gas and Mining (See Instructions on Reverse Side)	DIV. OF OIL, GAS & MINING			

CITATION OIL AND GAS CORPORATION WELLBORE DIAGRAM AND INFORMATION

Field: Upper Valley Unit Well Name: UVU #32 NW NW SE, Sec. 25, T-36-S, R-1-E Location: Updated: 5-6-05 BC Utah State: Garfield County: Current Stat: Producing Oil Well (ESP) Surface: 2365' FSL & 2265' FEL, NW NW SE Sec. 25, T-36-S, R-1-E Transformers Wellhead = Unknown Garfield County, Utah 3 x 50 FACT Completed: 1/6/72 YΔ 12,470/2540 Elevation: 7453' Unknown KB: 43-017-30043 API#: 9 5/8" 36# K-55 @ 3054' cmt'd W/1300 sx cmt (15" Hole) Csg leak F/3260 - 91' SOZ'd W/200 sx to 510 Tbg 4-05: 217 jts 2-7/8" 6.5-lb J-55 8rd EUE psi - OK. (3/04) Bleeder 10' 2-7/8" 6.5-lb J-55 8rd EUE pup Check 4' 2-7/8" 6.5-lb J-55 8rd EUE pup 129 stg D1400, new 185 stg D1400, new ARZ intake with gas separator, 6846' KB LSLSL-HL seal, new 125 HP 2425V/32A SK mtr, new +6900' #4R REDALENE, same (repaired) Tight spot @ 5670'. Could go through W/6 1/8" blade bit worn out of gauge to 6", But could not go through W/6" OD RBP. (3/04) TOC @ 6036' (CBL) Pump intake @ 6846'. 8-3/4" Hole K-2 Perfs: 6895 – 906 & 14 - 20' (1JSPF) (1/72) K-3 Perfs: 6928 – 36 & 44 - 54' (1JSPF) (1/72) K-4 Perfs: 6990 – 7020' (2 JSPF) (1/72) Tag top of fill in well @ 7023' (3/04) 7" 20, 23, & 26# K-55 @ 7104' cmt'd W/200 sx PBTD: 7075'

TD: 7108'

			FORM 9				
		DEPARTMENT OF NATURAL RESOURCES IVISION OF OIL, GAS AND MINING	,	5. LEASE DESIGNATION AND SERIAL NUMBER: U 019379			
	SUNDRY	S	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:				
Do r	ot use this form for proposals to drill new	7 UNIT or CA AGREEMENT NAME: Upper Valley Unit					
1. TY	PE OF WELL OIL WELL			8. WELL NAME and NUMBER: Upper Valley Unit 32			
	ME OF OPERATOR: ation Oil & Gas Corp.			9. API NUMBER: 4301730043			
3. A	DRESS OF OPERATOR:		HONE NUMBER: 281) 517-7800	10. FIELD AND POOL, OR WLDCAT: Upper Valley Kaibab			
	OCATION OF WELL OOTAGES AT SURFACE: 2365 F	SL & 2265 FEL		COUNTY: Garfield			
Q.	TR/QTR, SECTION, TOWNSHIP, RANG		STATE: UTAH				
11.	CHECK APPR	OPRIATE BOXES TO INDICATE NATURE O	F NOTICE, REPO	RT, OR OTHER DATA			
	TYPE OF SUBMISSION	TYF	E OF ACTION				
	NOTICE OF INTENT (Submit in Duplicate)	☐ ACIDIZE ☐ DEEPEN ☐ ALTER CASING ☐ FRACTURE TR	REAT	REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL			
	Approximate date work will start:	CASING REPAIR NEW CONSTR	UCTION	TEMPORARILY ABANDON			
		CHANGE TO PREVIOUS PLANS OPERATOR C	HANGE	TUBING REPAIR			
_		CHANGE TUBING PLUG AND AB	ANDON	VENT OR FLARE			
V	SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME PLUG BACK		WATER DISPOSAL			
	Date of work completion:	CHANGE WELL STATUS PRODUCTION	(START/RESUME)	WATER SHUT-OFF			
	·	COMMINGLE PRODUCING FORMATIONS RECLAMATION	N OF WELL SITE	✓ other: Replace ESP			
	4/16/2007	CONVERT WELL TYPE RECOMPLETE	- DIFFERENT FORMATION				
12.		MPLETED OPERATIONS. Clearly show all pertinent details inclu					
Citation Oil & Gas Corp. RU & POOH w/217 jts 2 7/8" tbg. Found flat lead burned above pot head. Motor checked OK. Pumps turned hard. Poured gas in pumps and they freed up. Put equipment back together. Put new plat head on cable. RIH w/ tbg & equipment. NU WH. Put back on production. RD MO SU.							

(This space for State use only)

SIGNATURE

NAME (PLEASE PRINT) Sharon Ward

RECEIVED
APR 2 4 2007

Permitting Manager

4/20/2007

DATE

STATE OF UTAH								FORM 9			
	ı		ARTMENT OF NATURAL RESOUR SION OF OIL, GAS AND MIN					5. LEASE DESIGNATION AND SERIAL NUMBER: U 019379			
SUNDRY NOTICES AND REPORTS ON WELLS								6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
Dor	not use this form for proposals to drill n	ew wel	ls, significantly deepen existing wells below curr Use APPLICATION FOR PERMIT TO DRILL fo	rent bo	ttom-hole dept	h, reenter plugged wells, or to ls.			or CA AGREEMENTNAME: er Valley Unit		
1. TY	PE OF WELL OIL WELL		GAS WELL OTHER						L NAME and NUMBER:		
			ONO WELL CONTENT					<u> </u>	er Valley Unit 32		
	AME OF OPERATOR: ation Oil & Gas Corp.								1730043		
	DDRESS OF OPERATOR:					PHONE NUMBER:			LD AND POOL, OR WLDCAT:		
PC	Box 690688	Ho	uston STATE TX ZIP	772	69	(281) 517-7800		Jpp	er Valley Kaibab		
	OCATION OF WELL								Confield		
F	DOTAGES AT SURFACE: 2365 F	-SL	& 2265 FEL				CC	UNT	y: Garfield		
Q.	TR/QTR, SECTION, TOWNSHIP, RAN	GE, M	ERIDIAN: SWSE 25 36S 1	Е			ST	ATE:	UTAH		
11.	CHECK APP	ROP	RIATE BOXES TO INDICAT	ΈN	ATURE	OF NOTICE, REP	ORT	0	R OTHER DATA		
	TYPE OF SUBMISSION	T				YPE OF ACTION					
$\overline{}$		\Box	ACIDIZE		DEEPEN				REPERFORATE CURRENT FORMATION		
Ш	NOTICE OF INTENT (Submit in Duplicate)		ALTER CASING		FRACTURE TREAT NEW CONSTRUCTION OPERATOR CHANGE				SIDETRACK TO REPAIR WELL		
	Approximate date work will start:		CASING REPAIR						TEMPORARILY ABANDON		
			CHANGE TO PREVIOUS PLANS						TUBING REPAIR		
			CHANGE TUBING		PLUG AND	ABANDON			VENT OR FLARE		
Z	SUBSEQUENT REPORT		CHANGE WELL NAME		PLUG BACI	(WATER DISPOSAL		
	(Submit Original Form Only)		CHANGE WELL STATUS		PRODUCTION	ON (START/RESUME)			WATER SHUT-OFF		
	Date of work completion:		COMMINGLE PRODUCING FORMATIONS		RECLAMAT	ION OF WELL SITE		V	OTHER: Replace ESP		
	4/16/2007		CONVERT WELL TYPE		RECOMPLE	TE - DIFFERENT FORMATIO	N				
12.	DESCRIBE PROPOSED OR CO	OMPL	ETED OPERATIONS. Clearly show all p	ertine	ent details in	cluding dates, depths, v olu	ımes, e	tc.			
Citation Oil & Gas Corp. RU & POOH w/217 jts 2 7/8" tbg. Found flat lead burned above pot head. Motor checked OK. Pumps turned hard. Poured gas in pumps and they freed up. Put equipment back together. Put new plat head on cable. RIH w/ tbg & equipment. NU WH. Put back on production. RD MO SU.											

(This space for State use only)

SIGNATURE

NAME (PLEASE PRINT) Sharon Ward

RECEIVED
APR 3 0 2007

Permitting Manager

4/24/2007

Sundry Number: 70537 API Well Number: 43017300430000 FEDERAL APPROVAL OF THIS ACTION IS NECESSARY

	FORM 9							
1	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MIN			5.LEASE DESIGNATION AND SERIAL NUMBER U-019379				
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:							
Do not use this form for pro current bottom-hole depth, FOR PERMIT TO DRILL form	7.UNIT or CA AGREEMENT NAME: UPPER VALLEY							
1. TYPE OF WELL Oil Well				8. WELL NAME and NUMBER: UV 32				
2. NAME OF OPERATOR: CITATION OIL & GAS CORP				9. API NUMBER: 43017300430000				
3. ADDRESS OF OPERATOR: 14077 Cutten Rd , Houstor	n, TX, 77069 281 891		NE NUMBER: Ext	9. FIELD and POOL or WILDCAT: UPPER VALLEY				
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2365 FSL 2265 FEL				COUNTY: GARFIELD				
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NWSE Section: 2	3	STATE: UTAH						
11. CHECI	K APPROPRIATE BOXES TO INDICA	TE NA	TURE OF NOTICE, REPOR	T, OR OTHER DATA				
TYPE OF SUBMISSION			TYPE OF ACTION					
	ACIDIZE		TER CASING	CASING REPAIR				
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	Сн	IANGE TUBING	CHANGE WELL NAME				
10/28/2015	CHANGE WELL STATUS	Псс	DMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE				
SUBSEQUENT REPORT	DEEPEN		ACTURE TREAT	NEW CONSTRUCTION				
Date of Work Completion:								
	OPERATOR CHANGE		UG AND ABANDON	☐ PLUG BACK				
SPUD REPORT	PRODUCTION START OR RESUME	☐ RE	CLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION				
Date of Spud:	REPERFORATE CURRENT FORMATION	□ si	DETRACK TO REPAIR WELL	LI TEMPORARY ABANDON				
	TUBING REPAIR	∐ VE	NT OR FLARE	WATER DISPOSAL				
DRILLING REPORT Report Date:	WATER SHUTOFF	SI	TA STATUS EXTENSION	APD EXTENSION				
·	WILDCAT WELL DETERMINATION	✓ от	THER	OTHER: Replace ESP				
12. DESCRIBE PROPOSED OR	COMPLETED OPERATIONS. Clearly show	all pert	tinent details including dates, d	epths, volumes, etc.				
	orp. will be replacing the ES			Accepted by the				
to pr	oduction due to a down hole	e fail	lure.	Utah Division of Oil, Gas and Mining				
				Special Code				
				Date: March 24, 2016				
				By: Dork Dunt				
NAME (DI SACS STITE)) ES	TIT! F					
NAME (PLEASE PRINT) Sarah King	PHONE NUMB 281 891-1570	seR	TITLE Regulatory Analyst III					
SIGNATURE N/A		DATE 3/17/2016						

RECEIVED: Mar. 17, 2016